

L Number	Hits	Search Text	DB	Time stamp
1	1	manag\$5 near5 (mail or email or e-mail) adj5 (based or accord\$4 or depend\$3 or correspond\$3) adj5 ((times or frequency or histor\$4) adj3 (access or usage) or profile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 10:26
2	2	(rank\$3 or rat\$3 or manag\$4 or sort\$3) with (mail or email or e-mail) near10 (based or accord\$4 or depend\$3 or correspond\$3) near10 ((times or frequency or histor\$4) near5 (access or usage or check\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 11:00
3	252	(email or e-mail) near10 access near5 request	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 10:58
4	26	((email or e-mail) near10 access near5 request) and ((email or e-mail) near10 access near5 request).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 10:32
5	1	((email or e-mail) near10 access near5 request) and ((email or e-mail) near10 access near5 request).ab.) and (rank\$3 or rat\$3 or manag\$4 or sort\$3) with (based or accord\$4 or depend\$3 or correspond\$3) near10 (times or frequency or histor\$4 or access or usage or check\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 10:55
6	2	((("5812770") or ("6304896")).PN.	USPAT	2004/03/31 10:57
7	19	("5033077" "5475737" "5675507" "5864684" "5896504" "5944786" "5956486" "5961590" "5966714" "5987609" "6052442" "6061718" "6067561" "6108329" "6118856" "6128101" "6141695" "6212265" "6230156").PN.	USPAT	2004/03/31 10:56
8	9	("4760572" "5040141" "5051944" "5109519" "5123089" "5220596" "5261052" "5287456" "5287498").PN.	USPAT	2004/03/31 10:56
9	6	5812770.URPN.	USPAT	2004/03/31 10:56
10	0	6304896.URPN.	USPAT	2004/03/31 10:57
11	35	((("5812770") or ("6304896")).PN.) or ((("5033077" "5475737" "5675507" "5864684" "5896504" "5944786" "5956486" "5961590" "5966714" "5987609" "6052442" "6061718" "6067561" "6108329" "6118856" "6128101" "6141695" "6212265" "6230156").PN.) or ((("4760572" "5040141" "5051944" "5109519" "5123089" "5220596" "5261052" "5287456" "5287498").PN.) or 5812770.URPN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 10:57
12	11	(709/\$3).ccls. and mailbox near5 access near5 request	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 11:27
13	1	(((((("5812770") or ("6304896")).PN.) or ((("5033077" "5475737" "5675507" "5864684" "5896504" "5944786" "5956486" "5961590" "5966714" "5987609" "6052442" "6061718" "6067561" "6108329" "6118856" "6128101" "6141695" "6212265" "6230156").PN.) or ((("4760572" "5040141" "5051944" "5109519" "5123089" "5220596" "5261052" "5287456" "5287498").PN.) or 5812770.URPN.) and ((709/\$3).ccls. and mailbox near5 access near5 request)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 11:00
14	45	(((((("5812770") or ("6304896")).PN.) or ((("5033077" "5475737" "5675507" "5864684" "5896504" "5944786" "5956486" "5961590" "5966714" "5987609" "6052442" "6061718" "6067561" "6108329" "6118856" "6128101" "6141695" "6212265" "6230156").PN.) or ((("4760572" "5040141" "5051944" "5109519" "5123089" "5220596" "5261052" "5287456" "5287498").PN.) or 5812770.URPN.) or ((709/\$3).ccls. and mailbox near5 access near5 request)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 12:10

15	7	(((((("5812770") or ("6304896")).PN.) or (("5033077" "5475737" "5675507" "5864684" "5896504" "5944786" "5956486" "5961590" "5966714" "5987609" "6052442" "6061718" "6067561" "6108329" "6118856" "6128101" "6141695" "6212265" "6230156").PN.) or (("4760572" "5040141" "5051944" "5109519" "5123089" "5220596" "5261052" "5287456" "5287498").PN.) or 5812770.URPN.) or ((709/\$3).ccls. and mailbox near5 access near5 request)) and (rank\$3 or rat\$3 or manag\$4 or sort\$3 or arrang\$4 or list\$3) near10 (based or accord\$4 or depend\$3 or correspond\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 11:11
16	1	(based or accord\$4 or depend\$4) with check\$3 near10 mailbox near10 (number or times or frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 11:19
17	0	cach\$3 with customer with (record or information or data) with (accord\$4 or based or us\$3) with (frequency or times or number) near5 (call or check or urgency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 11:22
18	123767	(maintain\$3 or sort\$3 or arrang\$3 or manag\$4 or stor\$3 or cach\$3) with (record or information or data) with (accord\$4 or based or us\$3) with (frequency or times or number or urgency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 11:27
19	49	((maintain\$3 or sort\$3 or arrang\$3 or manag\$4 or stor\$3 or cach\$3) with (record or information or data) with (accord\$4 or based or us\$3) with (frequency or times or number or urgency)) and (709/\$3).ccls. and mailbox near5 access	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 11:29
20	6	(((((maintain\$3 or sort\$3 or arrang\$3 or manag\$4 or stor\$3 or cach\$3) with (record or information or data) with (accord\$4 or based or us\$3) with (frequency or times or number or urgency)) and (709/\$3).ccls. and mailbox near5 access) and (709/\$3).ccls. and mailbox near5 access near5 request	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 11:28
21	0	(((((maintain\$3 or sort\$3 or arrang\$3 or manag\$4 or stor\$3 or cach\$3) with (record or information or data) with (accord\$4 or based or us\$3) with (frequency or times or number or urgency)) and (709/\$3).ccls. and mailbox near5 access) and ring near3 (count or number)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 11:28
22	1132	((maintain\$3 or sort\$3 or arrang\$3 or manag\$4 or stor\$3 or cach\$3) with (record or information or data) with (accord\$4 or based or us\$3) with (frequency or times or number or urgency)) and ring near3 (count or number)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 12:05
23	0	(((((maintain\$3 or sort\$3 or arrang\$3 or manag\$4 or stor\$3 or cach\$3) with (record or information or data) with (accord\$4 or based or us\$3) with (frequency or times or number or urgency)) and ring near3 (count or number)) and (709/\$3).ccls. and mailbox near5 access	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 11:41
24	41	((maintain\$3 or sort\$3 or arrang\$3 or manag\$4 or stor\$3 or cach\$3) with (record or information or data) with (accord\$4 or based or us\$3) with (frequency or times or number or urgency)) and ring near3 (count or number) with (email or e-mail or mail)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 12:02

25	0	((((maintain\$3 or sort\$3 or arrang\$3 or manag\$4 or stor\$3 or cach\$3) with (record or information or data) with (accord\$4 or based or us\$3) with (frequency or times or number or urgency)) and ring near3 (count or number) with (email or e-mail or mail))) and (((("5812770") or ("6304896")).PN.) or ("5033077" "5475737" "5675507" "5864684" "5896504" "5944786" "5956486" "5961590" "5966714" "5987609" "6052442" "6061718" "6067561" "6108329" "6118856" "6128101" "6141695" "6212265" "6230156").PN.) or ("4760572" "5040141" "5051944" "5109519" "5123089" "5220596" "5261052" "5287456" "5287498").PN.) or 5812770.URPN.) or ((709/\$3).ccls. and mailbox near5 access near5 request))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 11:31
26	78	(((((("5812770") or ("6304896")).PN.) or ("5033077" "5475737" "5675507" "5864684" "5896504" "5944786" "5956486" "5961590" "5966714" "5987609" "6052442" "6061718" "6067561" "6108329" "6118856" "6128101" "6141695" "6212265" "6230156").PN.) or ("4760572" "5040141" "5051944" "5109519" "5123089" "5220596" "5261052" "5287456" "5287498").PN.) or 5812770.URPN.) or ((709/\$3).ccls. and mailbox near5 access near5 request)) or (((maintain\$3 or sort\$3 or arrang\$3 or manag\$4 or stor\$3 or cach\$3) with (record or information or data) with (accord\$4 or based or us\$3) with (frequency or times or number or urgency)) and (709/\$3).ccls. and mailbox near5 access) or (((maintain\$3 or sort\$3 or arrang\$3 or manag\$4 or stor\$3 or cach\$3) with (record or information or data) with (accord\$4 or based or us\$3) with (frequency or times or number or urgency)) and ring near3 (count or number) with (email or e-mail or mail))) and (709/\$3).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 11:32
27	43	(((((("5812770") or ("6304896")).PN.) or ("5033077" "5475737" "5675507" "5864684" "5896504" "5944786" "5956486" "5961590" "5966714" "5987609" "6052442" "6061718" "6067561" "6108329" "6118856" "6128101" "6141695" "6212265" "6230156").PN.) or ("4760572" "5040141" "5051944" "5109519" "5123089" "5220596" "5261052" "5287456" "5287498").PN.) or 5812770.URPN.) or ((709/\$3).ccls. and mailbox near5 access near5 request)) or (((maintain\$3 or sort\$3 or arrang\$3 or manag\$4 or stor\$3 or cach\$3) with (record or information or data) with (accord\$4 or based or us\$3) with (frequency or times or number or urgency)) and (709/\$3).ccls. and mailbox near5 access) or (((maintain\$3 or sort\$3 or arrang\$3 or manag\$4 or stor\$3 or cach\$3) with (record or information or data) with (accord\$4 or based or us\$3) with (frequency or times or number or urgency)) and ring near3 (count or number) with (email or e-mail or mail))) and (709/206).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 11:35
28	24	(((((("5812770") or ("6304896")).PN.) or ("5033077" "5475737" "5675507" "5864684" "5896504" "5944786" "5956486" "5961590" "5966714" "5987609" "6052442" "6061718" "6067561" "6108329" "6118856" "6128101" "6141695" "6212265" "6230156").PN.) or ("4760572" "5040141" "5051944" "5109519" "5123089" "5220596" "5261052" "5287456" "5287498").PN.) or 5812770.URPN.) or ((709/\$3).ccls. and mailbox near5 access near5 request)) or (((maintain\$3 or sort\$3 or arrang\$3 or manag\$4 or stor\$3 or cach\$3) with (record or information or data) with (accord\$4 or based or us\$3) with (frequency or times or number or urgency)) and (709/\$3).ccls. and mailbox near5 access) or (((maintain\$3 or sort\$3 or arrang\$3 or manag\$4 or stor\$3 or cach\$3) with (record or information or data) with (accord\$4 or based or us\$3) with (frequency or times or number or urgency)) and ring near3 (count or number) with (email or e-mail or mail))) and (709/206).ccls.) and mailbox near5 (check\$3 or access\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 11:33

29	0	((((maintain\$3 or sort\$3 or arrang\$3 or manag\$4 or stor\$3 or cach\$3) with (record or information or data) with (accord\$4 or based or us\$3) with (frequency or times or number or urgency)) and ring near3 (count or number) with (email or e-mail or mail)) and (709/206).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 11:36
30	2	((((maintain\$3 or sort\$3 or arrang\$3 or manag\$4 or stor\$3 or cach\$3) with (record or information or data) with (accord\$4 or based or us\$3) with (frequency or times or number or urgency)) and ring near3 (count or number)) and (709/206).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 11:36
31	16	((((maintain\$3 or sort\$3 or arrang\$3 or manag\$4 or stor\$3 or cach\$3) with (record or information or data) with (accord\$4 or based or us\$3) with (frequency or times or number or urgency)) and ring near3 (count or number)) and mailbox near5 access	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 11:41
32	0	(use or using or employ\$3) near5 ring near3 (count or number) with (indicat\$3 or signal\$3) adj10 (email or e-mail or mail) near5 mailbox	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 12:04
33	0	ring near3 (count or number) with (indicat\$3 or signal\$3) adj10 (email or e-mail or mail) near5 mailbox	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 12:04
34	2	(((((("5812770") or ("6304896")).PN.) or (("5033077" "5475737" "5675507" "5864684" "5896504" "5944786" "5956486" "5961590" "5966714" "5987609" "6052442" "6061718" "6067561" "6108329" "6118856" "6128101" "6141695" "6212265" "6230156").PN.) or (("4760572" "5040141" "5051944" "5109519" "5123089" "5220596" "5261052" "5287456" "5287498").PN.) or 5812770.URPN.) or ((709/\$3).ccls. and mailbox near5 access near5 request)) and ring near3 (count or number)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 12:06
35	16	(((((("5812770") or ("6304896")).PN.) or (("5033077" "5475737" "5675507" "5864684" "5896504" "5944786" "5956486" "5961590" "5966714" "5987609" "6052442" "6061718" "6067561" "6108329" "6118856" "6128101" "6141695" "6212265" "6230156").PN.) or (("4760572" "5040141" "5051944" "5109519" "5123089" "5220596" "5261052" "5287456" "5287498").PN.) or 5812770.URPN.) or ((709/\$3).ccls. and mailbox near5 access near5 request)) and (check\$3 or access\$3 or request\$3) adj5 mailbox	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 12:23
36	0	(check\$3 or access\$3) adj5 mailbox adj5 without adj5 logging	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 12:24
37	3	(check\$3 or access\$3) with mailbox with without with (charg\$3 or log\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 12:25
38	2	(check\$3 or access\$3) adj5 mailbox with without with (charg\$3 or log\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 12:26
39	0	(check\$3 or access\$3) adj5 mailbox with without with (charg\$3 or log\$4 or connect\$3) near5 (network or server or computer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 12:27

40	2	(check\$3 or access\$3) adj5 mailbox with without with (charg\$3 or log\$4 or connect\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 12:27
-	0	(709/206).ccls. and rank\$3 with (mail or email or e-mail) with access\$3 near5 frequency with (client or user)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 16:02
-	0	(sort\$3 or rank\$3) with (mail or email or e-mail) with access\$3 near5 frequency with (client or user)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 16:03
-	2	(sort\$3 or rank\$3) with (mail or email or e-mail) with access\$3 near5 frequency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 16:06
-	5	(sort\$3 or rank\$3) with (mail or email or e-mail) with access\$3 with frequency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 16:18
-	2	(sort\$3 or rank\$3) adj10 list with (based or accord\$4 or depend\$4 or correspond\$3) with access\$3 near10 frequency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 16:11
-	0	(sort\$3 or rank\$3 organiz\$5) adj10 list adj5 (based or accord\$4 or depend\$4 or correspond\$3) with access\$3 near10 frequency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 16:11
-	1	(list\$3 adj5 (based or accord\$4 or depend\$4 or correspond\$3) with access\$3 near10 frequency) and (709/\$3).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 16:12
-	76	(sort\$3 or rank\$3) with (mail or email or e-mail) adj3 server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 16:13
-	6	((sort\$3 or rank\$3) with (mail or email or e-mail) adj3 server) and (sort\$3 or rank\$3 or organiz\$3) with (mail or email or e-mail) adj3 server with (list or table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 16:15
-	8	((sort\$3 or rank\$3) with (mail or email or e-mail) adj3 server) and (sort\$3 or rank\$3 or organiz\$3 or maintain\$3 or creat\$3) with (mail or email or e-mail) adj3 server with (list or table)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 16:19
-	7	(sort\$3 or rank\$3 or organiz\$3 or maintain\$3 or creat\$3) near10 (list or table) adj5 (based or accord\$4 or depend\$3 or correspond\$3) adj5 (times or frequency) near5 access\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 16:25
-	17	list\$3 adj5 (based or accord\$4 or depend\$4 or correspond\$3) with access\$3 near10 frequency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 16:23

-	7	(sort\$3 or rank\$3 or organiz\$3 or maintain\$3 or creat\$3) near10 (list or table) adj5 (based or accord\$4 or depend\$3 or correspond\$3) adj5 (times or frequency or usage) near5 access\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 10:22
---	---	--	---	------------------